

Notice of Allowability

Application No.

10/821,347

Examiner

Michael C. Zarroli

Applicant(s)

CHIN, CHING-KUO

Art Unit

2839

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the RCE filed 1/30/06.
2. ☒ The allowed claim(s) is/are 1-17.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

MICHAEL C. ZARROLI
PRIMARY EXAMINER

Michael C. Zarroli

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in an interview with Joseph Chung on 2/14/06. This examiner amendment is being made to overcome the Mori et al (US5482471) reference, which shows a frame providing vertical force to the socket body.

The application has been amended as follows: **Revise the last two lines of claims 1, 9 and, 17 as shown below.**

1. the frame is stationary during the entire operation of the lever and provides a downward force upon the protrusions so as not to allow the socket body to move upwardly.

9. the frame is stationary during the entire operation of the lever and is vertically engaged with the socket body so as to prevent upward movement of the socket body.

17. wherein the frame is stationary during the entire operation of the lever and catches the socket body so as to prevent the socket body from upward moving away from the printed circuit board.

2. The following is an examiner's statement of reasons for allowance:

Regarding claims 1, 9 and 17 the prior art of record does not teach or suggest alone or in combination, the combination of elements especially, the stationary frame's downward force preventing the socket body from moving during the entire operation of the lever. This limitation will further prevent any damage during the mating of the electrical interfaces.

The examiner has listed four new references in the accompanying PTO-892. All teach that the lever and socket plate are not connected to the socket but to the frame. Alternatively, if you were to read the entire device in these references as the socket then there is no frame.

The Mori et al reference (US5482471) is still the best reference found by the examiner. Mori teaches lever and socket plates that are connected to the socket but no stationary frame during the entire operation of the lever.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should

preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael C. Zarroli whose telephone number is 571-272-2101. The examiner can normally be reached on 7:30 to 3:30 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, T.C. Patel can be reached on (571) 272-2800 ext 39. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael C. Zarroli
Primary Examiner
Art Unit 2839

MCZ
MCZ